



SAFETY DATA SHEET (SDS)

VetScan® – cPL Test Kit

I. Product and Company Identification

Product Name: VetScan® – cPL Test Kit
A point of care veterinary blood diagnostic product

Part Numbers: 510-0005-5 (test kit 5 Pack), 510-0005-10 (test kit 10 Pack)

Company Information:

Abaxis, Inc.	ABAXIS Europe GmbH
3240 Whipple Road	Bunsenstr. 9-11
Union City, CA 94587	64347 Griesheim, Germany
Tel: +1-510-675-6500	Tel: +49 6155 780 21 0 (EU)
Fax: +1-510-441-6150	Fax: +49 6155 780 21 111

Customer Support: +1-800-822-2947 (US), abaxis@abaxis.com
Tel: +49 6155 780 21 0 (EU)
abaxis@abaxis.de

Emergency Number: +1-800-822-2947 (US)

+49 6155 780 21 0 (EU)
This number is available only during business hours
(9:00am to 5:00pm CET)

II. Hazard Identification

OSHA Hazards: No known OSHA hazards

GHS Hazards: Not a dangerous or hazardous substance or preparation according to the Global Harmonized System (GHS).

HMIS Ranking:

<i>Health hazard</i>	1
<i>Flammability</i>	0
<i>Physical hazards</i>	0

NFPA Rating:

<i>Health hazard</i>	1
<i>Fire</i>	0
<i>Reactivity hazard</i>	0

Potential Health Effects:
Not known to produce adverse health effects



SAFETY DATA SHEET (SDS)

VetScan® – cPL Test Kit

III. Composition/ Information on Ingredients

IV.

This product consists of a test strip encased in a plastic cassette. A buffer solution accompanies the test strip with the following components.

TABLE 1

NAME OF SUBSTANCE	%	CAS#	EC#	HAZARD
Tween-80, 10% solution	40.00	9005-65-6	500-019-9	None
Sodium Chloride	11.70	7647-14-5	231-598-3	None
Fish Gelatin	6.00	9000-70-8	232-554-6	None
Polyethylene Glycol 8000	6.00	25322-68-3	200-338-0	None
n-Octyl-glucoopyranoside	1.00	29836-26-8	249-887-8	None
Sodium Phosphate, Dibasic	0.28	7558-79-4	231-448-7	None
Proclin 300	0.10	55965-84-9		Severe skin burns, serious eye damage, harmful if inhaled, harmful if swallowed.
Sodium Azide	0.05	26628-22-8		Severe skin burns, serious eye damage, harmful if inhaled, harmful if swallowed.

V. First Aid Measures

In case of eye contact: Flush eyes with water for a recommended 15 minutes
In case of inhalation: Remove to fresh air and contact a physician
In case of skin contact: Flush eyes with water for a recommended 15 minutes
In case of ingestion: Contact a physician in case of ingestion

VI. Fire-Fighting Measures

No flammable properties are associated with this product.

Extinguishing media: Use water spray, dry chemical or carbon dioxide



SAFETY DATA SHEET (SDS)

VetScan® – cPL Test Kit

<u>Hazardous combustion products:</u>	May result in the formation of nitrogen and carbon oxides
<u>Special protective equipment for firefighters:</u>	Wear self-contained breathing apparatus for firefighting if necessary
<u>Additional information:</u>	Plastic cartridge emits fumes under fire

VII. Accidental Release Measures

Personal precautions:

<i>Eye Protection</i>	Wear safety goggles or a face shield when cleaning up spills
<i>Skin Protection</i>	Wear protective attire that prevents contamination of skin and personal clothing
<i>Hand Protection</i>	Wear nitrile or vinyl gloves that cover exposed skin
<i>Other Protections</i>	Avoid breathing mists, dusts, and aerosols
<u>Environmental Controls:</u>	Prevent spilled product from entering drains
<u>Spill Clean-up Measures:</u>	Contain the material to prevent it from becoming airborne Place absorbent material on top of, and around the perimeter of the spill Sweep up the spilled material and decontaminate the area with soap and water or an equivalent cleaner

VIII. Handling and Storage

The Test Devices and Chase Buffer must be stored at 2°C to 30°C (35°F to 86°F) and never frozen. Follow safe chemical handling procedures for handling and storage.

IX. Exposure Controls/Personal Protection

None of the chemicals in this preparation are assigned occupational exposure limits. This product can be safely handled under normal conditions.

<u>Engineering Controls:</u>	Provide ventilation in work areas where this product is handled
<u>Personal Protective Equipment:</u>	Safety glasses and chemical-resistant gloves recommended

X. Physical and Chemical Properties

<u>Physical state:</u>	The kit includes test devices (which consist of nitrocellulose test strip encased in a plastic cassette), a Chase buffer bottle (liquid), and transfer pipettes
------------------------	---



SAFETY DATA SHEET (SDS)

VetScan® – cPL Test Kit

<u>Odor threshold:</u>	None established
<u>Chemical Properties:</u>	None available for: <ul style="list-style-type: none">• pH• Melting point• Boiling point• Flash point• Lower Explosive Limit• Upper Explosive Limit• Vapor pressure• Vapor density (air=1)• Density (g/cm³)• Water solubility (20°C in g/l)• Auto ignition temperature

XI. Stability and Reactivity

<u>Reactivity:</u>	This preparation is not known to be violently reactive
<u>Chemical Stability:</u>	This preparation is known to be chemically stable
<u>Thermal Decomposition:</u>	Will decompose when burned
<u>Conditions to Avoid:</u>	Excess heat or flame
<u>Incompatible Materials:</u>	No data available
<u>Hazardous Decomposition Products:</u>	No harmful decomposition products known
<u>Storage Conditions:</u>	Follow manufacturer's PI instructions for storage.

XII. Toxicological Information

Toxicological properties have not been investigated for the test strip. Table 2 below lists the chemicals contained in the buffer and their toxicology information:



SAFETY DATA SHEET (SDS)

VetScan® – cPL Test Kit

TABLE 2

NAME OF SUBSTANCE	ACUTE TOXICITY LD ₅₀ / LC ₅₀	CHRONIC TOXICITY (CMR) ¹
Sodium Azide	LD50 Oral - Rat - 27 mg/kg	No data available
Proclin 300	LD50 Oral - rat - 862 mg/kg LD50 Dermal - rabbit - 2,800 mg/kg	No data available
Sodium Chloride	LD50 Oral – rat – 3,550 mg/kg LD50 Inhalation rat – 1 hr>42,000 mg/m ³	No data available
Tween-80, 10% solution	LD50 Oral - Mouse - 25,000 mg/kg	No data available

XIII. Ecological Information

No information found. This preparation is not anticipated to present adverse ecotoxicological effects.

XIV. Disposal Considerations

Waste Treatment Methods: Check regional waste requirements
Waste Treatment Options: Treatment options approved by local authorities
Sewage Disposal Options: Check with local authorities before discharge to the sewer
Other Disposal Recommendations: Dispose of according to local, state, and national regulatory requirements
U.S. Waste Classification: Biological waste after use
California Waste Codes: None

XV. Transport Information

Follow federal and local regulations
DOT and IATA Shipping Information:
Not regulated as a dangerous good
ADR Information:
Not applicable
IMDG:



SAFETY DATA SHEET (SDS)

VetScan® – cPL Test Kit

Not a dangerous good

XVI. Regulatory Information

US OSHA:

Not regulated as a hazardous material

US EPA:

Hazards to the environment have not been thoroughly investigated

EU Regulations:

This material safety data sheet conforms to Regulation (EC) No 1272/2008, 1907/ 2006, and other requirements established by the European Union

National Regulations:

None found

Chemical Safety Assessment:

A Chemical Safety Assessment has not been completed for this product

XVII. Other Information

The above information is believed to be correct but does not purport to be inclusive and shall be used only as a guide. Abaxis shall not be held liable for any damage resulting from handling or from contact with the above product.